

Thickness		0.89	1.00	1.2	1.24	1.25	1.50	1.60	1.65	2.0	2.11	2.30	2.50	2.60	2.77	2.90	3.00	3.20	3.40	3.50	3.60	3.76	
Outside Diameter		18GA				16GA			14GA			12GA											
(INCH)	(MM)																						
1/4	6.00/6.35																						
	7.94/8.00																						
3/8	9.53																						
	10.00																						
	10.02																						
	12.00																						
1/2	12.50																						
	12.70																						
	13.50																						
	13.70																						
	14.00																						
	15.00																						
3/4	15.90																						
	16.00																						
	17.00																						
	17.20																						
3/4	18.00																						
	19.05																						
	20.00																						
	21.30																						
	22.00																						
	24.00																						

	70.00																					
	73.30																					
	75.00																					
3	76.10																					
	80.00																					
	82.50																					
	85.00																					
3 1/2	88.90																					
	90.00																					
	95.00																					
	100.00																					
4	101.60																					
	102.00																					
	108.00																					
	114.30																					

Remark	<ul style="list-style-type: none"> - Shaded Areas are within Production Range. - The Other Outside Diameter and Wall Thickness Subject To The Approval Of Vendor And Purchaser.
---------------	---

Thickness		3.91	4.00	4.05	4.50	5.00	5.40	5.50	5.54	6.00	6.30	6.50	7.00	7.10	7.11	8.00	8.18	10	12.5	12.7	14.2	
Outside Diameter																						
(INCH)	(MM)																					
1/4	6.00/6.35																					
	7.94/8.00																					
3/8	9.53																					
	10.00																					
	10.30																					
	12.00																					
	12.50																					
1/2	12.70																					
	13.50																					
	13.70																					
	14.00																					
	15.00																					
	15.90																					
3/4	16.00																					
	17.00																					
	17.20																					
	18.00																					
3/4	19.05																					
	20.00																					
	21.30																					
	22.00																					
	24.00																					
1	25.00																					
	25.40																					

	26.90																			
	28.00																			
	30.00																			
1 1/4	31.80																			
	32.00																			
	33.00																			
	33.70																			
	34.00																			
	35.00																			
	38.00																			
1 1/2	38.10																			
	40.00																			
1 2/3	42.40																			
	44.50																			
	45.00																			
	48.30																			
	50.00																			
2	50.80																			
	51.00																			
	54.00																			
	55.00																			
	57.00																			
	60.00																			
	60.30																			
2 1/2	63.50																			
	65.00																			
	70.00																			
	73.30																			
	75.00																			
3	76.10																			
	80.00																			
	82.50																			

	85.00																					
3 1/2	88.90																					
	90.00																					
	95.00																					
	100.00																					
4	101.60																					
	102.00																					
	108.00																					
	114.30																					

Remark	<ul style="list-style-type: none"> - Shaded Areas are within Production Range. - The Other Outside Diameter and Wall Thickness Subject To The Approval Of Vendor And Purchaser.
---------------	---