



WELDED AUSTENITIC STAINLESS ROUND TUBE ASTM A554, GB/T 12770, JG/T 3030, YB/T 5363, EN10296-2,

Thickness Outside Diameter		0.5	0.60	0.70	0.8	0.90 0.89	1.00	1.07	1.20 1.24	1.50	1.65	2.00 2.11	2.50	2.70	3.00 3.05	3.50	4.00	5.00	6.00	8.00	9.53	
		INCH		GA		20GA		19GA		18GA		16GA		14GA		11GA						
		MM																				
	6.00	◇	◇	◇	◇	◇	◇															
	8.00	◇	◇	◇	◇	◇	◇															
3/8	9.53/10.00	◇	◇	◇	◇	◇	◇	◇	◇													
	11.00/11.11	◇	◇	◇	◇	◇	◇	◇	◇													
1/2	12.00/12.70	◇	◇	◇	◇	◇	◇	◇	◇	◇												
	14.00		◇	◇	◇	◇	◇	◇	◇	◇												
	15.00		◇	◇	◇	◇	◇	◇	◇	◇	◇											
5/8	15.90/15.88/16.00		◇	◇	◇	◇	◇	◇	◇	◇	◇	◇										
	17.00/17.20		◇	◇	◇	◇	◇	◇	◇	◇	◇	◇										
	18.00		◇	◇	◇	◇	◇	◇	◇	◇	◇	◇										
	19.00/19.05		◇	◇	◇	◇	◇	◇	◇	◇	◇	◇										
	20.00		◇	◇	◇	◇	◇	◇	◇	◇	◇	◇										
	21.30		◇	◇	◇	◇	◇	◇	◇	◇	◇	◇										
	22.00./22.23		◇	◇	◇	◇	◇	◇	◇	◇	◇	◇										
	24.20		◇	◇	◇	◇	◇	◇	◇	◇	◇	◇										
1	25.00/25.40		◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇									
	26.90				◇	◇	◇	◇	◇	◇	◇	◇	◇									
1 1/8	28.0/28.6				◇	◇	◇	◇	◇	◇	◇	◇	◇									
	30.00				◇	◇	◇	◇	◇	◇	◇	◇	◇	◇								
1 1/4	31.75/31.8/32.0				◇	◇	◇	◇	◇	◇	◇	◇	◇	◇								

	33.40/33.70/34.00				◇	◇	◇	◇	◇	◇	◇	◇	◇	◇						
	35.00				◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	✱					
	36.00				◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	✱					
1 1/2	38.00/38.10				◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	✱					
	40.00				◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	✱					
1 5/8	41.26				◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	✱					
	42.40				◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	✱					
	43.00				◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	✱					
1 3/4	44.45/45.00				◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	✱					
	47.63/48.00/48.30				◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	✱					
2	50.0/50.8/51.00				◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	✱	✱	✱	✱		
	54.00				◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	✱					
	56.00				◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	✱					
	57.00				◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	✱					
	60.30				◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	✱					
2 1/2	63.50				◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	✱					
	65.41				◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	✱					
	69.85				◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	✱					
	70.00				◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	✱					
	73.00				◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	✱					
3	76.20				◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	✱					
	80.00						◇	◇	◇	◇	◇	◇	◇	◇	✱					
	83.00						◇	◇	◇	◇	◇	◇	◇	◇	✱					
	84.00/85.00						◇	◇	◇	◇	◇	◇	◇	◇	✱					
	86.90/87.00							◇	◇	◇	◇	◇	◇	◇	✱					
3 1/2	88.90							◇	◇	◇	◇	◇	◇	◇	✱	✱	✱	✱	✱	
	96.00							◇	◇	◇	◇	◇	◇	◇	✱					
4	101.60/102.00								◇	◇	◇	◇	◇	◇	✱	✱	✱	✱	✱	

	104.00/105.00									◇	◇	◇	◇	◇	*							
	108.00									◇	◇	◇	◇	◇	*	*	*					
	114.00/114.30									◇	◇	◇	◇	◇	*	*	*	*	*			
5	127.00									◇	◇	◇	◇	◇	*	*	*	*	*			
	128.00									◇	◇	◇	◇	◇	*							
	129.00									◇	◇	◇	◇	◇	*							
	133.00									◇	◇	◇	◇	◇	*	*	*					
	139.70									◇	◇	◇	◇	◇	*	*	*					
6	152.40											◇	◇	◇	*	*						
	154.00									◇	◇	◇	◇	◇	*	*	*					
	156.00											◇	◇	◇	*	*	*	*				
	159.00											◇	◇	◇	*	*	*	*	*	*	*	*
	168.00/168.28											◇	◇	◇	*	*	*	*	*	*	*	*
	203.00/204.00											◇	◇	◇	*	*	*	*	*	*	*	*
	219.00/219.10											◇	◇	◇	*	*	*	*	*	*	*	*
10	254.00											**	**	**	**	**	**	**	**	**	**	**
	273.00/273.05												**	**	**	**	**	**	**	**	**	**
	323/325													**	**	**	**	**	**	**	**	**

Remark

- Shaded Areas are within Production Range
- The Other Outside Diameter and Wall Thickness Subject To The Approval Of Vendor And Purchaser.
- Cold Roll Material: Thickness 0.5~3.0mm
- Hot Roll Material: Thickness 2.5~9.53mm

(◇): Polish 180G/320G/400G/600G (*): Polish 180G (**): Mill Finish/MF

WELDED AUSTENITIC STAINLESS SQUARE TUBES ASTM A554, GB/T 12770, JG/T 3030, YB/T 5363, EN10219-2

Thickness (mm) Outside Diameter		0.50	0.60	0.70	0.80 0.89	0.90	1.00	1.07	1.20	1.24	1.50	1.65	2.00 2.11	2.50	2.70 2.77	3.00 3.05	4.00	4.50 4.55	5	6.00 6.35	7	8	9.53
		INCH	MM				20GA			19GA		18GA		16GA	14GA		12GA	11GA		7GA			
	10.00x10.00	◇	◇	◇	◇	◇	◇	◇	◇	◇													
	12.00x12.00	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇												
1/2x1/2	12.70x12.70	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇												
	15.00x15.00	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇										
5/8x5/8	15.88x15.88	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇										
	16.00x16.00	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇										
	19.00x19.00	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	*							
3/4x3/4	19.05x19.05	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	*							
	20.00x20.00			◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇								
7/8x7/8	22.23x22.23			◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	*							
	25.00x25.00			◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	*							
1x1	25.40x25.40			◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	*							
	30.00x30.00			◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	*							
1 1/4x1 1/4	31.75x31.75			◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	*							
	35.00x35.00			◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	*							
	38.00x38.00			◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	*	*						
1 1/2x1 1/2	38.10x38.10			◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	*	*						
	40.00x40.00						◇	◇	◇	◇	◇	◇	◇	◇	◇	*	*						
	44.45x44.45						◇	◇	◇	◇	◇	◇	◇	◇	◇	*	*						
	45.00x45.00						◇	◇	◇	◇	◇	◇	◇	◇	◇	*	*						
	50.00x50.00						◇	◇	◇	◇	◇	◇	◇	◇	◇	*	*	*	*	*	*		
2x2	50.80x50.80						◇	◇	◇	◇	◇	◇	◇	◇	◇	*	*	*	*	*	*		
	60.00x60.00								◇	◇	◇	◇	◇	◇	◇	*	*	*	*	*	*		
	63.00x63.00								◇	◇	◇	◇	◇	◇	◇	*	*	*	*	*	*		

2 1/2x2 1/2	63.50x63.50									◇	◇	◇	◇	◇	◇	◇	*	*	*	*	*				
	70.00x70.00											◇	◇	◇	◇	◇	*	*	*	*	*				
	75.00x75.00											◇	◇	◇	◇	◇	*	*	*	*	*				
	76.00x76.00											◇	◇	◇	◇	◇	*	*	*	*	*				
3x3	76.20x76.20											◇	◇	◇	◇	◇	*	*	*	*	*			**	
	80.00x80.00											◇	◇	◇	◇	◇	*	*	*	*	*				
3 1/2x3 1/2	88.90x88.90											◇	◇	◇	◇	◇	*	*	*	*	*				
	90.00x90.00											◇	◇	◇	◇	◇	*	*	*	*	*				
	100.00x100.00											◇	◇	◇	◇	◇	*	*	*	*	*				
4x4	101.60x101.60											◇	◇	◇	◇	◇	*	*	*	*	*				
	120.00x120.00													◇	◇	◇	*	*	*	*	*				
5x5	127.00x127.00													◇	◇	◇	*	*	*	*	*	*			
	150.00x150.00														◇	◇	*	*	*	*	*	*	*	**	**
	152.40x152.40														◇	◇	*	*	*	*	*	*	*	**	**
	200.00x200.00																**	**	**	**	**	**	**	**	**
	203.20x203.20																**	**	**	**	**	**	**	**	**

Remark

- Shaded Areas are within Production Range
- The Other Outside Diameter and Wall Thickness Subject To The Approval Of Vendor And Purchaser.
- Cold Roll Material: Thickness 0.5~3.0mm
- Hot Roll Material: Thickness 2.5~9.53mm

(◇): Polish 180G/320G/400G/600G (*): Polish 180G (**) Mill Finish/MF



WELDED AUSTENITIC STAINLESS RECTANGULAR TUBES ASTM A554, GB/T 12770, JG/T 3030, YB/T 5363, EN10219-2

Thickness		Thickness (mm)																			
Outside Diameter		0.80 0.89	0.90	1.00	1.07	1.20	1.24	1.50	1.65	2.00 2.11	2.50	2.70 2.77	3.00 3.05	4.00	4.50 4.55	5.00	6.00	6.30 6.35	7.00	8.00	9.53
INCH	(MM)	20GA			19GA		18GA		16GA	14GA		12GA	11GA		7GA						
	10.00x20.00	◇	◇	◇	◇	◇	◇	◇													
	10.00x25.00	◇	◇	◇	◇	◇	◇	◇													
	10.00x30.00	◇	◇	◇	◇	◇	◇	◇													
	10.00x40.00	◇	◇	◇	◇	◇	◇	◇													
	10.00x50.00			◇	◇	◇	◇	◇													
	10.00x60.00			◇	◇	◇	◇	◇													
	10.00x80.00					◇	◇	◇													
1/2x1	12.70x25.40			◇	◇	◇	◇	◇													
1/2x1 1/4	12.70x31.75			◇	◇	◇	◇	◇													
1/2x1 1/2	12.70x38.10			◇	◇	◇	◇	◇													
1/2x2	12.70x50.80			◇	◇	◇	◇	◇													
1/2x3	12.70x76.20			◇	◇	◇	◇	◇													
	15.00x20.00			◇	◇	◇	◇	◇	◇	◇											
	15.00x25.00			◇	◇	◇	◇	◇	◇	◇											
	15.00x30.00			◇	◇	◇	◇	◇	◇	◇											
	15.00x35.00			◇	◇	◇	◇	◇	◇	◇											
	15.00x40.00			◇	◇	◇	◇	◇	◇	◇											
	15.00x50.00			◇	◇	◇	◇	◇	◇	◇											

3/4x1 1/2	19.05x38.10			◇	◇	◇	◇	◇	◇	◇	◇	◇	*								
	20.00x30.00			◇	◇	◇	◇	◇	◇	◇											
	20.00x40.00			◇	◇	◇	◇	◇	◇	◇	◇	◇									
	20.00x50.00			◇	◇	◇	◇	◇	◇	◇	◇	◇									
	20.00x60.00			◇	◇	◇	◇	◇	◇	◇	◇	◇									
	20.00x70.00			◇	◇	◇	◇	◇	◇	◇	◇	◇									
	20.00x80.00			◇	◇	◇	◇	◇	◇	◇	◇	◇									
	25.00x13.00			◇	◇	◇	◇	◇	◇	◇											
	25.00x30.00			◇	◇	◇	◇	◇	◇	◇											
	25.00x38.00			◇	◇	◇	◇	◇	◇	◇											
	25.00x50.00			◇	◇	◇	◇	◇	◇	◇	◇	◇	*								
	25.00x75.00			◇	◇	◇	◇	◇	◇	◇	◇	◇	*								
1x1 1/2	25.40x38.10			◇	◇	◇	◇	◇	◇	◇	◇	◇	*								
1x2	25.40x50.80			◇	◇	◇	◇	◇	◇	◇	◇	◇	*								
1x2 1/2	25.40x63.50			◇	◇	◇	◇	◇	◇	◇	◇	◇	*								
1x3	25.40x76.20			◇	◇	◇	◇	◇	◇	◇	◇	◇	*								
	30.00x40.00			◇	◇	◇	◇	◇	◇	◇	◇	◇	*								
	30.00x50.00			◇	◇	◇	◇	◇	◇	◇	◇	◇	*								
	30.00x60.00			◇	◇	◇	◇	◇	◇	◇	◇	◇	*								
	30.00x70.00			◇	◇	◇	◇	◇	◇	◇	◇	◇	*								
1 1/2x2	38.10x50.80			◇	◇	◇	◇	◇	◇	◇	◇	◇	*								
1 1/2x2 1/2	38.10x63.50			◇	◇	◇	◇	◇	◇	◇	◇	◇	*								
1 1/2x3	38.10x76.20			◇	◇	◇	◇	◇	◇	◇	◇	◇	*								
	40.00x50.00					◇	◇	◇	◇	◇	◇	◇	*								
	40.00x60.00					◇	◇	◇	◇	◇	◇	◇	*	*	*	*	*				

	40.00x80.00					◇	◇	◇	◇	◇	◇	◇	*	*	*	*	*				
	40.00x100.00					◇	◇	◇	◇	◇	◇	◇	*	*	*	*	*				
	40.00x120.00							◇	◇	◇	◇	◇	*								
	45.00x75.00					◇	◇	◇	◇	◇											
	50.00x70.00			◇	◇	◇	◇	◇	◇	◇	◇	◇	*	□	□	□	□				
	50.00x75.00							◇	◇	◇	◇	◇	*	*	*	*	*				
	50.00x100.00							◇	◇	◇	◇	◇	*	*	*	*	*				
	50.00x127.00									◇	◇	◇	*	*	*	*	*				
	50.00x150.00									◇	◇	◇	*	*	*	*	*				
2x3	50.80x76.20							◇	◇	◇	◇	◇	*	*	*	*	*	*			
2x4	50.80x101.60							◇	◇	◇	◇	◇	*	*	*	*	*	*			
2x5	50.80x127.00									◇	◇	◇	*	*	*	*	*	*			
2x6	50.80x152.40									◇	◇	◇	*	*	*	*	*	*			
	60.00x80.00							◇	◇	◇	◇	◇	*	*	*	*	*				
	60.00x100.00							◇	◇	◇	◇	◇	*	*	*	*	*				
	60.00x120.00							◇	◇	◇	◇	◇	*	*	*	*	*				
	75.00x100.00							◇	◇	◇	◇	◇	*	*	*	*	*	*			
	75.00x125.00							◇	◇	◇	◇	◇	*	*	*	*	*	*			
	75.00x150.00							◇	◇	◇	◇	◇	*	*	*	*	*	*			
3x4	76.20x101.60									◇	◇	◇	*	*	*	*	*	*			
3x5	76.20x127.00									◇	◇	◇	*	*	*	*	*	*			
3x6	76.2x152.40									◇	◇	◇	*	*	*	*	*	*			
	80.00x100.00									◇	◇	◇	*	*	*	*	*				
	80.00x120.00									◇	◇	◇	*	*	*						
	80.00x140.00									◇	◇	◇	*	*	*	*	*				

	80.00x160.00									◇	◇	◇	*	*	*	*					
	100.00x150.00									◇	◇	◇	*	*	*	*	*	*			
	100.00x200.00									◇	◇	◇	*	*	*	*	*	*			
	100.00x250.00									**	**	**	**	**	**	**	**	**	**	**	
4x6	101.60x152.40									◇	◇	◇	*	*	*	*	*	*	□	□	**
4x8	101.60x203.20									◇	◇	◇	*	*	*	*	*	*	□	□	**
	101.60x254.00									□	□	□	**	**	**	**	**	**	**	□	
	150.00x200.00												**	**	**	**	**	**	**	□	□
	150.00x250.00												**	**	**	**	**	**	**	□	□
6x8	152.40x203.20												**	**	**	**	**	**	**	□	□
6x10	152.40x254.00												**	**	**	**	**	**	**	□	□

Remark	<p>- Shaded Areas are within Production Range - The Other Outside Diameter and Wall Thickness Subject To The Approval Of Vendor And Purchaser. - Cold Roll Material: Thickness 0.5~3.0mm - Hot Roll Material: Thickness 2.5~9.53mm (◇): Polish 180G/320G/400G/600G (*): Polish 180G (**): Mill Finish/MF</p>
---------------	--